

SignLine Kits U.S. Specs for Fabric









SignLine®

Fabric graphics for banner stands should have the 2" bleed. Finishing of these graphics will be with a hot knife.

Banner Stand Graphic Image Area Sizes
SignLine Express 33.5" x 87"

SignLine Swift 33.5" x 87"
SignLine Standard 68" x 33.5"
68" x 36.75"

68" x 41.5" 92" x 33.5" 92" x 36.75" 92" x 41.5"

SignLine Lite 33.5" x 87"


^{*} Note: Sizing assumes dye sub printed graphic is on poly knit material.





Nomadic SignLine®


Digital prints on film



Guidelines for Graphic Panel Thickness


- 1. The graphic print must be pliable and suitable for roller bannerstands. We recommend an opaque film which must have a maximium thickness of 0.3mm.
- 2. A PVC laminating film should be used for protecting the graphic and should be used on the front side only. We recommend a maximium thickness of 0.15mm.





Nomadic SignLine®

Digital prints on film



Guidelines for Graphic Panel Thickness

- 1. The graphic print must be pliable and suitable for roller bannerstands. We recommend an opaque film which must have a maximum thickness of 0.3mm.
- 2. A PVC laminating film should be used for protecting the graphic and should be used on the front side only. We recommend a maximum thickness of 0.15mm.

